



THE WEIZMANN SCIENCE PRESS OF ISRAEL

National Council for Research and Development

# ISRAEL Journal of BOTANY

Volume 24  
1975



מוסד ויצמן לפרסומים במדעי הטבע ובטכנולוגיה, ירושלים  
THE WEIZMANN SCIENCE PRESS OF ISRAEL

*Publishers of the following journals*

ISRAEL JOURNAL OF BOTANY; ISRAEL JOURNAL OF CHEMISTRY;  
ISRAEL JOURNAL OF EARTH-SCIENCES; ISRAEL JOURNAL OF MATHEMATICS;  
ISRAEL JOURNAL OF TECHNOLOGY; ISRAEL JOURNAL OF ZOOLOGY;  
JOURNAL D'ANALYSE MATHÉMATIQUE

לדעת מדע לנוער המתבגר (SCIENCE FOR YOUTH)

בזק עתון מדעי לכל (SCIENCE)

*Supporting Institutions*

THE NATIONAL COUNCIL FOR RESEARCH AND DEVELOPMENT;  
BAR-ILAN UNIVERSITY; BEN GURION UNIVERSITY OF THE NEGEV;  
TECHNION—ISRAEL INSTITUTE OF TECHNOLOGY; TEL AVIV UNIVERSITY;  
THE HEBREW UNIVERSITY OF JERUSALEM; THE WEIZMANN INSTITUTE OF SCIENCE

#### GENERAL EDITORIAL BOARD

D. ABIR  
I. ARNON  
A. DVORETZKY  
H. EYAL-GILADI  
H. HANANI  
M. JAMMER  
J. JORTNER  
E. KATCHALSKI-KATZIR  
N. SHARON  
G. STEIN  
Y. WEILER

#### Executive Editor

L. LESTER

#### Assistant Editor

ESME GORDON

#### ISRAEL JOURNAL OF BOTANY

Formerly Bulletin of the Research  
Council of Israel, Section D

#### Editorial Board

LEONORA REINHOLD *Editor-in-chief*  
NAOMI FEINBRUN  
D. ATSMON  
J. GALIL  
N. LANDAU  
G. ORSHAN  
A. E. RICHMOND  
Y. VAADIA  
I. WAHL  
**Coordinator**  
M. NEGBI

Subscriptions are to be addressed to the Weizmann Science Press of Israel, P.O.B. 801, Jerusalem 91000, Israel. In Europe, orders may be sent to Wm. Dawson & Sons Ltd., Cannon House, Macklin Street, London, W.C.2., or to booksellers. Subscription fees per volume, \$ 25.00.

Copyright © 1976 by THE WEIZMANN SCIENCE PRESS OF ISRAEL

Printed in Israel March 1976  
Mercaz Press, Jerusalem



ISRAEL JOURNAL OF BOTANY  
VOLUME 24, 1975  
TABLE OF CONTENTS  
Number 1

**TAXONOMY**

Cortinariaceae in Israel	<i>N. Binyamini</i>	1
Taxonomic studies in <i>Centaurea</i> Sect. <i>Calcitrapa</i> . II. The section in the Middle East	<i>U. Plitmann</i>	10

**BIOLOGICAL FLORA OF ISRAEL**

<i>A. Anemone coronaria</i> L.	<i>A. Horowitz, J. Galil and D. Zohary</i>	26
--------------------------------	--	----

**BOOK REVIEWS**

42

**SCIENTIFIC MEETINGS**

Abstracts of papers presented at the meeting of the Botanical Society of Israel, 1974		43
---	--	----

Numbers 2-3

**PHYSIOLOGY**

The structure of variegated leaves of <i>Acer negundo</i> L. A Light and electron microscope study	<i>G. Manenti</i>	61
Peroxisomes in leaves of <i>Nicotiana sylvestris</i> L. infected with alfalfa mosaic virus	<i>L. de Vecchi and G. G. Conti</i>	71

**ORIGIN OF CULTIVATED PLANTS**

On the origin of the broad bean, <i>Vicia faba</i> L.	<i>G. Ladizinsky</i>	80
---	----------------------	----

**TAXONOMY**

A history, catalogue and bibliography of Red Sea seagrasses	<i>Y. Lipkin</i>	89
---	------------------	----

**GEOBOTANY**

Analyse factorielle de la végétation des dunes de la Reserve Biologique de Doñana (Espagne). I. Analyse numérique des données floristiques	<i>F. Gonzalez-Bernaldez, F. Garcia-Novo et L. Ramirez-Diaz</i>	106
The vegetation of the northern Negev and the Judean Desert of Israel	<i>A. Danin, G. Orshan and M. Zohary</i>	118

Number 4

**GEOBOTANY**

Analyse factorielle de la végétation des dunes de la Reserve Biologique de Doñana (Espagne). II. Analyse d'un gradient du milieu. Etude spéciale du problème de la non-homogénéité	<i>F. Gonzalez-Bernaldez, F. Garcia-Novo et L. Ramirez-Diaz</i>	173
--	---	-----

**ORIGIN OF CULTIVATED PLANTS**

The origin of chickpea as indicated by seed protein electrophoresis	<i>G. Ladizinsky and A. Adler</i>	183
---	-----------------------------------	-----

**MYCOLOGY**

Pezizales of Israel. III. Humariaceae (A)	<i>H. Nemlich and Z. Avizohar-Hershenzon</i>	190
---	--	-----

**TAXONOMY**

<i>Allium trifoliatum</i> subsp. <i>hirsutum</i>	<i>F. Kollmann and W. T. Stearn</i>	201
--	-------------------------------------	-----

**REPRODUCTION**

Seed set in some <i>Pistacia</i> L. (Anacardiaceae) species after inter- and intraspecific pollination	<i>M. Grundwag</i>	205
--	--------------------	-----

# AUTHOR INDEX

- Adar, E., 60  
 Adiri, N., 56  
 Adler, A., 183  
 Aharoni, N., 55, 60  
 Altman, A., 57  
 Arzee, T., 47, 50, 60  
 Atsmon, D., 46, 47, 49  
 Avizohar-Hershenzon, Z.,  
     190  
 Ben-Gera, I., 50  
 Ben-Yehoshua, S., 55  
 Berman, T., 53  
 Binyamini, N., 1  
 Blum, A., 50  
 Borochoy, A., 53  
 Boussiba, S., 54  
 Cohen, A., 55  
 Cohen, D., 42  
 Conti, G. G., 71  
 Danin, A., 118  
 Dovrat, A., 49, 58  
 Dubinsky, Z., 53  
 Easton, J. D., 52  
 Edelman, M., 45, 47, 57  
 Efrat, Y., 50  
 Even-Chen, Z., 53  
 Fahn, A., 50, 51  
 Gale, J., 52, 59  
 Galil, J., 26  
 Galun, E., 45, 56  
 Garcia-Novo, F., 106, 173  
 Gonzalez-Bernaldez, F., 106,  
     173  
 Goren, R., 57  
 Gressel, J., 46  
 Grundwag, M., 205  
 Halevy, A. H., 53, 59  
 Harari, D., 55  
 Horowitz, A., 26, 58  
 Itai, C., 53  
 Jakob, K. M., 46  
 Joel, D. M., 51  
 Kadman, A., 55  
 Kadouri, A., 46, 47  
 Karschon, R., 52  
 Kipnis, T., 58  
 Koller, D., 48, 59  
 Kollman, F., 201  
 Ladizinsky, G., 80, 183  
 Langenaur, H. D., 47  
 Lavee, S., 56  
 Leshem, Y., 48  
 Levy, A., 46  
 Levy, D., 60  
 Levanon, D., 58  
 Lipkin, Y., 89  
 Manenti, G., 61  
 Marco, S., 60  
 Moses, T., 49  
 Naveh, Z., 51  
 Nemlich, H., 190  
 Neumann, P., 48  
 Orshan, G., 118  
 Palevitch, D., 48  
 Perl, M., 57  
 Plitmann, U., 10  
 Porat, D., 49, 50  
 Portnoi, L., 58  
 Posner, H. B., 46  
 Prinz, R., 48  
 Rabinowitz, H., 57  
 Ramirez-Diaz, L., 106, 173  
 Raveh, D., 56  
 Reisfeld, A., 57  
 Reuveni, R., 57  
 Richmond, A. E., 49, 54, 55  
 Rikin, A., 49, 54  
 Rosen, D., 45  
 Rosner, A., 46  
 Shomer, I., 50  
 Stearn, W. T., 201  
 Thomas, T. H., 48  
 Umiel, N., 55  
 Vecchi, L. de, 71  
 Waisel, Y., 52  
 Waldman, M., 49  
 Wurzbarger, J., 48  
 Zeroni, M., 60  
 Ziv, M., 59  
 Zohar, Y., 52  
 Zohary, D., 26  
 Zohary, M., 118

# SUBJECT INDEX

Abstracts of papers presented at scientific meetings which appeared in Volume 24 of the Israel Journal of Botany are not indexed herein.

- Acer*, leaf structure, 61–70  
*Achillea*, 138, 142, 165  
*Aegilops*, 132, 144  
*Aellenia*, 159, 164  
*Aizoon*, 163  
*Ajuga*, 132  
Alfalfa mosaic virus, 71–79  
*Alkanna*, 132, 135, 136  
*Allium trifoliatum* subsp. *hirsutum* complex, 201–204  
*Ammophila*, 111  
*Amphibolis*, 89–105  
*Amygdalus*, 134, 163, 165  
*Anabasis*, 138, 140, 141, 146, 147, 156  
*Anagallis*, 133, 139  
*Anastatica*, 148  
anatomy, leaf, 61–70  
*Anchusa*, 135  
*Anemone*, Israel, biological flora, 26–41  
*Anthemis*, 131, 133, 139, 144  
apical meristem, *Acer*, 61, 70  
*Argyrolobium*, 141  
*Armeria*, 111, 115, 116, 177  
*Artemisia*, 132, 134, 136–138, 141, 144–146, 148, 155–158, 165  
*Asphodelus*, 131, 133, 135, 137, 139, 140  
*Asteriscus*, 156–159  
*Astoma*, 134, 163  
*Astragalus*, 131–134, 138, 146, 159, 160, 162  
*Atractylis*, 138, 140, 156  
*Atriplex*, 164  
  
*Ballota*, 132, 162  
*Bellevalia*, 136, 138, 144  
bibliography, Red Sea seagrasses, 89–105  
biological flora, *Anemone coronaria*, Israel, 26–41  
*Biscutella*, 133  
*Blepharis*, 148  
broad bean, origin, 80–88  
*Bromus*, 159  
  
*Calendula*, 139  
*Calligonum*, 148  
  
*Calluna*, 111, 113, 115, 174, 177, 179  
*Carlina*, 132  
*Carrichtera*, 133  
*Carex*, 139, 144, 146, 148  
*Carthamus*, 133, 136, 137, 139, 144  
catalase, *Nicotiana sylvestris* leaves, 71–79  
catalogue, Red Sea seagrasses, 89–105  
*Catapodium*, 132  
*Centaurea*, 10–25, 132, 138, 140, 144, 162, 163  
chamaephytes, 118–172  
*Chenolea*, 144–146, 156, 157, 159  
*Chenopodium*, 163  
*Chicorium*, 132  
chickpea, origin, 201–204  
chloroplasts, *Acer*, 61–70  
chromosome numbers, broad bean, 80–88  
*Cicer*, origin, 201–204  
*Cistus*, 111, 115, 174, 176, 177, 179  
climate, Northern Negev and Judean Desert, 121–123  
climatolithogenic soils, 124  
*Colchicum*, 146  
*Colutea*, 165  
communities, plant, Northern Negev and Judean Desert, Israel, 118–172  
*Convolvulus*, 132  
*Corema*, 111  
*Coridothymus*, 132, 162  
Cortinariaceae, Israel, 1–9  
*Cortinarius*, Israel, 1–9  
*Crataegus*, 134  
*Crithopsis*, 133, 144  
cultigens, chickpeas, 201–204  
*Cymodocea*, 89–105  
cytology,  
    *Acer* leaves, 61–70  
    broad bean, 80–88  
    virus-infected *Nicotiana* leaves, 71–79  
*Cyperus*, 111  
*Cytisus*, 111  
  
*Dactylis*, 132  
*Daphne*, 111, 115, 177



- diagnostic characters, *Centaurea*, 10–25  
*Dianthus*, 103  
*Diplotaxis*, 138, 144, 156, 157  
 diseases, *Anemone*, 40  
 Doñana, Spain, dune vegetation, 106–117, 173–182  
 dune vegetation, 106–117, 173–182  
  
*Echinops*, 131, 132, 135, 137, 138, 162  
 electrophoresis, chickpea seed protein, 201–204  
*Enhalus*, 89–105  
 ephemerals, 118–172  
 ephemeroïds, 140  
*Erianthus*, 177  
*Erica*, 111–116, 174, 176, 177, 179  
*Erodium*, 139, 140, 144–146, 148, 156, 157, 159  
*Eruca*, 133, 136, 139, 144  
*Eryngium*, 131, 132  
*Euphorbia*, 131, 132  
*Evax*, 133  
 evolution, chickpea and seed protein, 201–204  
  
 factorial analysis, dune vegetation, 106–117, 173–182  
*Fagonia*, 163  
*Ferula*, 136, 141, 163, 165  
*Filago*, 133, 134, 139, 146, 156  
 flora  
     *Anemone*, Israel, 26–41  
     Northern Negev and Judean Desert, 118–172  
     Red Sea seagrasses, 89–105  
*Fumana*, 162  
  
*Galerina*, 1–9  
*Gastrocotyle*, 146  
 Genetic relationships, *Vicia*, 80–88  
*Genista*, 111, 115, 177  
 geobotany  
     dune vegetation, Doñana, Spain, 106–117, 173–182  
     Northern Negev and Judean Desert, 118–172  
 germination, *Anemone*, 39  
*Globularia*, 162, 163  
 grumosol, dark brown, 127  
*Gundelia*, 133  
*Gymnarrhena*, 156, 159, 160  
*Gypsophila*, 133, 144  
  
 habitats, Humariaceae, Israel, 191  
  
*Halimum*, 111, 113, 115, 174, 176, 177  
*Halodule*, 89–105  
*Halophila*, 89–105, 183–189  
*Hammada*, 138, 142, 148, 159  
*Haplophyllum*, 163  
*Hebeloma*, Israel, 1–9  
*Hedypnois*, 133  
*Helianthemum*, 111, 131, 133, 138–141, 145, 146, 156, 159  
*Helichrysum*, 111, 115, 177, 179  
*Hippocrepis*, 133  
 histology, *Acer* leaves, 61–70  
 history, Red Sea seagrasses, 89–105  
*Holoschoenus*, 111, 115, 177  
*Humaria*, 190–197  
 Humariaceae, Israel, 190–197  
 hybridization  
     broad bean, 80–88  
     *Centaurea*, 10–25  
*Hyoscyamus*, 138, 142, 163  
  
*Imperata*, 177  
*Inocybe*, Israel, 19  
 Irano-Turanian vegetation, 118–172  
 Israel, vegetation of Northern Negev and Judean Desert, 118–172  
  
 Judean Desert, vegetation, 118–172  
*Juniperus*, 109, 111  
*Jurinea*, 163  
  
 key, *Centaurea*, 14  
*Kickxia*, 133  
*Kochia*, 164  
  
*Lappula*, 146  
*Leontodon*, 146  
*Lavandula*, 111, 115, 174, 176, 177, 179  
 leaves  
     peroxisomes in, *Nicotiana*, 71–79  
     variegated, structure, 61–70  
*Leontice*, 141  
*Leopoldia*, 138  
*Limonium*, 157  
 lithogenic soils, 125  
 lithosol  
     brown, 125  
     desert, 126  
*Lophochloa*, 134, 139

- Majorana*, 162  
*Malva*, 163  
*Malvella*, 136  
 nap, vegetation, Northern Negev and Judean Desert, 118-172  
 marine flora, Red Sea, seagrasses, 89-105  
*Matthiola*, 138, 156, 159  
*Medicago*, 159  
 Mediterranean vegetation, 118-172  
 meetings, abstracts, 43-60  
*Mesembryanthemum*, 163  
*Micromeria*, 162, 163  
 microscope study, *Acer* leaves, 61-70  
 moisture gradient, 106-117, 173-182  
 morphology  
   *Anemone*, 26-41  
   broad bean, origin, 80-88  
   *Centaurea*, 15  
   leaf, 61-70  
   *Pistacia* seed set, 198-200  
 mycology, Humariaceae, Israel, 190-197  
*Myrtus*, 111, 115, 177  
  
*Narcissus*, 162  
 Negev, vegetation, 118-172  
 new records, Humariaceae, Israel, 190-197  
*Nicotiana*, peroxisomes, 71-79  
*Noaea*, 131, 132, 137, 138, 140, 141, 145, 156, 157, 162  
  
 obituary, Menachem Grundwag, 212  
*Onobrychis*, 133  
*Ononis*, 132, 135  
*Onopordum*, 138  
*Origanum*, 162, 163  
 origin  
   broad bean, 80-88  
   chickpea, 210-214  
*Ornithogalum*, 131, 132, 146  
 orthogenic soils, 127  
*Osyris*, 111, 115, 177  
*Otidea*, 190-197  
  
*Pallensis*, 132  
 peroxisomes, *Nicotiana* leaves, 71-79  
 pezizales, Israel, 190-197  
*Phagnolon*, 133, 162  
 phanerophytes, 118-172  
 phenology, *Anemone*, 37  
   *Phillyrea*, 111, 115, 177  
   *Phlomis*, 131, 132, 134, 136, 162  
   photorespiration, virus-infected *Nicotiana* leaves, 71-79  
   phytogeography, 118-172  
   phytosociology, 106-117, 173-182  
   *Pinus*, 111  
     seed set, 198-200  
   *Pituranthus*, 165  
   *Plantago*, 132, 133, 139, 156, 159  
   Plant communities, Northern Negev and Judean Desert, Israel, 118-172  
   plastids, *Acer* leaves, 61-70  
   *Poa*, 131, 133, 144  
   *Podonosma*, 163  
   pollination  
     *Anemone*, 37-38  
     *Pistacia*, 198-200  
   *Prasium*, 163  
   protein, seed, chickpea, 201-209  
   psammophytes, 118-172  
   *Psilurus*, 132  
   *Pteranthus*, 156, 159-161  
   *Pterocephalus*, 163  
   *Pulparia*, 190-197  
   *Pyrethrum*, 163, 165  
  
   *Reaumuria*, 137, 139, 143-146, 148, 155-157, 159-161, 168  
   *Reboudia*, 134, 136, 138, 140, 146, 156, 157, 159  
   Red Sea, seagrasses, 89-105  
   regs, 127  
   *Reichardia*, 139  
   rendzina  
     brown, 124  
     light, 126  
   *Reseda*, 144, 145  
   *Retama*, 163  
   *Rhamnus*, 134, 162, 163, 165  
   *Rhus*, 163  
   *Rosmarinus*, 111, 115, 116, 177  
   *Rubus*, 177  
   *Rumex*, 111  
  
 Saharo-Arabian vegetation, 118-172  
*Salsola*, 143-146, 159, 164  
*Salvia*, 132, 136, 138, 140, 165  
*Sarcopoterium*, 131, 132, 135, 162  
*Satureia*, 144, 145

- Schismus*, 138, 156  
*Scilla*, 146  
*Scorzonera*, 139, 146  
*Scrophularia*, 111, 163  
 seagrasses, Red Sea, 89–105  
 seed dispersal, *Anemone*, 37–38  
 seed germination, *Anemone*, 38–39  
 seed protein electrophoresis, chickpea, 201–204  
 seed set, *Anemone*, 37–38  
*Senecio*, 139, 159  
*Senniella*, 164  
 sierozem, loessial, 127  
 soils, Northern Negev and Judean Desert, 123–127  
 “Sol nu”, 111, 115, 116  
 Spain, Doñana, dune vegetation, 106–117, 173–182  
 speciation, broad bean, 80–88  
 species delimitations, *Centaurea*, 10–25  
*Stachys*, 163  
*Sternbergia*, 162  
*Staurocanthus*, 111, 113, 115, 116, 177, 179  
*Stipa*, 133, 134, 139, 144, 156  
*Suaeda*, 159, 161  
 Sudanian vegetation, 118–172  
*Syringodium*, 89–105  
  
*Tarzetta*, 190–197  
 taxonomy  
     *Allium*, 205–211  
     *Centaurea*, 10–25  
     Cortinariaceae, Israel, 1–9  
     *Halophila*, 183–189  
     Humariaceae, Israel, 190–197  
     *Tetrapogon*, 163  
     *Teucrium*, 133, 136, 162  
     *Thalassia*, 89–105  
     *Thalassodendron*, 89–105  
     *Thymelaea*, 133, 134, 137, 138  
     *Thymus*, 111, 112, 114, 115, 177  
     *Torularia*, 139  
     *Tricharina*, 190–197  
     *Tricholaena*, 158, 163  
     *Trichophaea*, 190–197  
     *Trifolium*, 131, 133  
     *Trigonella*, 146, 156  
     *Trisetaria*, 133  
     *Tulipa*, 138  
  
*Ulex*, 111, 115, 174, 176, 177, 179  
 ultrastructure  
     leaves, *Acer*, 61–70  
     virus-infected *Nicotiana* leaves, 71–79  
  
 variation patterns, *Centaurea*, 10–25  
*Varthemia*, 132  
 vegetation, Judean Desert and Northern Negev, 118–172  
 vegetation analysis, dunes, 106–117, 173–182  
 vegetation transects, 164–170  
*Vicia*, 80–88  
 virus, alfalfa mosaic, 71–79  
  
 water table depth, plant responses to, 106–117, 173–182  
  
*Zostera*, 89–105  
*Zygophyllum*, 144–146, 155, 156, 158, 159, 162